#### **ROAD CHOICE ALUMINUM WHEELS DELIVER LASTING VALUE**

Road Choice Aluminum Wheels will add value to your vehicles for the life of the equipment, and beyond.

#### Lighter objects require less force and less fuel to move.

Aluminum wheels will reduce truck weight, improving fuel efficiency and reducing greenhouse gas emissions, whether your truck is empty or fully loaded. The Road Choice 40-pound Aluminum Wheel is one of the lightest on the market.

#### Upgraded equipment minimizes downtime.

Steel wheels can require frequent rust removal, re-painting and touch-up work, leading to increased downtime and higher costs over the lifetime of the wheel. There's no need to refurbish and refinish Road Choice Aluminum Wheels.

#### Equipment that runs smoothly lasts longer.

Road Choice Aluminum Wheels better balanced and up to five times stronger than steel wheels.

#### Investing in the future pays off.

The durability and long life of Road Choice Aluminum Wheels add value to your trucks, even when you're ready to sell them.

## **ALUMINUM WHEELS ROAD CHOICE** YEAR

**Polished Inside & Out** 22.5x8.25, 7,400 lb. capacity 10 hole hub pilot



Part # 1000-AW825225H10

WARRANTY

#### **NOAT Extended Life 50/50 Prediluted Antifreeze** & Coolant - 1 Gallon · Eliminates the need for SCAs and

- chemically charged filters
- · Improves heat transfer capability Offers outstanding protection against corrosion and cavitation

### NOAT EXTENDED LIFE

ASTM D3306 TMC RP329 TMC RP351 (COLOR) RECOMMENDED FOR USE IN HEAVY-DUTY VEHICLES

International GM Waukesha Ford New Holland



#### Conventional Green SCA Precharged Formulated 50/50 Prediluted Antifreeze 50/50 Prediluted Antifreeze & Coolant - 1 Gallon

Supplimental Coolant Additives (SCA) used in HD diesel applications to protect against corrosion and cavitation.

- Max Freeze-up protection to -84°F boil-up
- Compitable with all conventional antifreeze

### CONVENTIONA COOLANT

ASTM D-3306 ASTM D-4340 Chrysler MS 7170 Ford ESE-M97B-44-A GM 1825M

ASTM D-4985 Caterpillar Cummins 90T8-4 GM 1899M John Deere H24B1 Mack Truck Navistar B1 SAE J1941 TMC RP 302B



# & Coolant - 1 Gallon

- Road Choice SCA Pecharged Fully Formulated Antifreeze & Coolant works in HD diesel, gas and natural gas systems.
- Incorporates nitrite to provide wet sleeve
- liner protection against cavitation Provides corosion protection of cooling system metals and components
- Eliminates SCA mixing errors at initial fill

## SCA PRECHARGED

Detroit Diesel 7SE298, 93K217 Ford ESE-M97B44-A (Sec. 3.1. & 3.1.2) John Deere H24A1, H24C1 Navistar B-1, Type II

#AFRCA053 \$7,49 50/50 PREDILLITED ANTIFREEZE & COOLANT

**ASTM D6210** 

# BRECIBUILER MAIL SPECIALS GOTT TRUCK SALES PARTS & SERVICE


MAY / JUNE 2021

All specials good thru June 30th, 2021 or while supplies last!

**EXCELLENT VALUES. EXPERT TECHNICAL SUPPORT.** 









#### HERE WHEN YOU NEED US WITH **EXTENDED HOURS**

Parts and Accessories Warehouse Monday - Friday 7:00 AM - 11:00 PM Saturday - Closed

Monday - Friday 8:00 AM - 5:00 PM Saturday by appointment Service:

Monday - Friday 7:00 AM - 11:00 PM



**SALES · SERVICE** PARTS·LEASING

brechbuhlertrucks.com

E-Z Order HOT LINE 330-477-8127

We Welcome









Brechbuhler charge accounts are available with approved credit.





**Call Today - 330-477-8127** 

4216 Southway St. SW Canton, OH 44706



# ROAD CHOICE

HURRY! ... OFFER GOOD ONLY WHILE SUPPLIES

#### SANDEN STANDARD COMPRESSORS

ACC3540

**Direct Mount** 6 GRV. 125mm Diameter OE# SD4883/4092

**ACC2844** 

**Ear Mount** 2 GRV. 132mm Diameter **OE# 206RD413M** 





#### **SUPER HEAVY-DUTY**

**Sealed Super HD Direct Mount** 8 GRV. 180mm Diameter **OE# 206RD53M** 



#### **RECEIVER DRIERS**

#### RD12145

3" Diameter - 10" Length 3/8" X 3/8" Male 0-Ring **Top Sight Glass** M10 Schrader Valve **Pressure Relief Valve Moisture Indicator** 

**0E# 221RD335** 



#### **O-RINGS**



OR11099 **SINGLE JOB O-RING KIT** 

#6 0-Ring

#8 O-Ring

1 ea. OR11008 Capillary Tube 7 ea. OR11011 6 ea. OR11013 4 ea. OR11015 1 ea. OR11017

#10 O-Ring #12 0-Ring \$1.88

#### Suction Side: #8 and #8 **0-Rings**

**EV01005** 

Rating: 1-1/2 Ton OE# 4379-RD56868-0

Hose Side: #6 and #10

### **EV01030**

Hose Side: #6 and #10 Suction Side: #8 and #10 0-Rings Rating: 2 Ton OE# 4379-RD5-5382-0





**EXPANSION VALVES** 

#### **EVAPORATORS**

#### **EVA2443**

10" X10" X 2-5/8" 0E# 4379-RD2-16550

#### **CONDENSERS** CON1027

19-1/2" x 26" x 7/8"

#8. #6 MIO Fittings

**0E# 210RD59M** 

**\$149**.92

19-5/8" x 29" x 7/8" #6, #8 MIO Fittings **OE# 210RD510M** 

**CON1025** 





#### **CON1028**

21-1/8" x 31-3/8" x 3/4" #8. #6 MIO Fittings 0E# 210RD428

\$**151**.57





# BRAKE **CHAMBERS**



Part # 1000-SC20

Part # 1000-SC30

Type 20 Service Chamber Sale 20.99

Part # 1000-SC24

Type 24 Service Chamber Sale 20.99 ea.

Type 30 Service Chamber Sale \$20.99 ea.

Part # 1000-SC30LS Type 30 Long Stroke Chamber Sale \$24.65

Part # 1000-PB3030K

Type 30 Piggy Back Kit Sale 33-99

Part # 1000-PB3030LSK

Type 30 Long Stroke **Piggy Back Kit** 

Part # 1000-SB3030STD

**Complete 3030** Standard Stroke Chamber Sale \$34.99

Part # 1000-SB3030LS

**Complete 3030** 

Long Stroke Chamber Sale \$40.99 ea.



www.flagcitymack.com

#### **WEBB 56864B BRAKE DRUM**

Designed for standard-duty drive and trailer over-the-road applications, the Webb 56864B is a great solution to handle the higher heat caused by reduced air flow from trailer skirts. It features patented CRT vents (Cool Running Technology) in an innovative design that manages heat 10% better than similar weight brake drums.

Designed, Cast and machined in the USA

- 10Cast Holes
- 11.5" B.C. 8.78" Pilot • 16.5 x 7 Brakes
- Weight: 104 lbs
- •Rating: 23,000 lbs GAWR

# 56864B



# ROAD CHOICE BRAKE DRUMS are manufactured to meet SAE industry standards

• Machine-balanced eccentrically over 180°

and are covered by a one-year warranty.

No weld weights or CNC drilled material

· Machine drilled bolt holes - not cast 4677-BD16701

DRUM CROSS REFERENCE 3922X

GUNITE: MERITOR:

85-123207 WEBB: 56864B DB 1657B

N42A1657VB





# Extreme Sale!



# NEW 39MT

**HEAVY DUTY GEAR REDUCTION STARTER** 





# WARRANTED Part #3551-PX31925C702







Part #1726-M9A31OE



#### Legacy SILVER Standard Features Air Lumbar

• Standard Parallelogram Suspension

#### **HERITAGE SILVER**

#### Standard Features

Standard Parallelogram Suspension

All Seats Incorporated seats meet or exceed FMVSS and SAE standards at date of manufacture.



#### All High Back Seats

‡188900KW21	Legacy Silver	Black Cloth	\$549.95
‡188900KW25	Legacy Silver	Gray Cloth	\$549.95
‡188900MW61	Legacy Silver	Black Leather	\$672.95
‡188900MW65	Legacy Silver	Gray Leather	\$672.95
‡189800VA01	Heritage Silver	Black Vinyl	\$399.95
‡189800VA05	Heritage Silver	Gray Vinyl	\$399.95
‡189800KA21	Heritage Silver	Black Cloth	\$399.95
‡189800KA25	Heritage Silver	Gray Cloth	\$399.95
‡187300QW611	Pinnacle - Black Le	eather/Black Cloth	\$999.95
‡187300QW615	Pinnacle - Black Le	eather/Gray Cloth	\$999.95

# BRECHBUHLER TRUCK SALES PARTS & SERVICE

**NOW AVAILABLE** 

**AFTERMARKET PRESET® HUB ASSEMBLIES** 

#### Reduce Downtime

By replacing your wheel ends with Aftermarket PreSet hubs, you save hours compared to the time it would take to rebuild the same hub. That means vehicles are back on the road faster, reducing lost revenue due to downtime.

#### Reduce Labor Costs

Rebuilding a hub is a complex process requiring replacement of bearing cups and cones, the wheel seal, and manually adjusting the bearings. When armed with the proper parts, tools, and understanding of the service requirements, a technician still needs several hours to do a thorough job. However, by simply replacing the hub, labor costs are greatly diminished.

#### Reduce Potential for Errors or Misalignment

With PreSet hubs, installation is incredibly easy. Operators simply slide the self-piloting, pre-assembled hub onto the spindle, torque the retaining nut, and add lubricant.



**5 years/500.000 mile warranty** when installed with PreSet Plus **Spindle Nut**\* (PreSet Hubs Only)

> \* 3 years/350,000 w/o **PreSet Plus Spindle Nut**

#### Front Axle, Drum Brakes



FF FIUIL AXIE	- KEHWUHHI / FELEN	DIII / IVAVISIAI / INALK	(3.00 011861)							
Part Number	<b>Hub Flange Offset</b>	Hub Load Rating (lbs)	GAWR (lbs)	<b>Hub Material</b>	Stud Standout	Steel / Alum Wheels	Wheel Stud	Weight (lbs)	Hub Cap BC (in)	PRICE
10082207	5.06	6,600	13.2K	Alum	2.92	Alum	102188	37.5	4.50	\$214.41
10082209	5.06	7,350	14.6K	Alum	2.97	Alum	102290	41.0	4.50	\$248.35

FL Front Axle - ALL OEM's (4.29 Offset)

Part Number	Hub Flange Offset	Hub Load Rating (lbs)	GAWR (lbs)	Hub Material	Stud Standout	Steel / Alum Wheels	Wheel Stud	Weight (lbs)	Hub Cap BC (in)	PRICE
10082213	4.29	10,000	20K	Alum	3.27	Alum	10001331	55.8	5.56	\$382.18
10082215	4.29	11,500	23K	Iron	3.30	Alum	10005301	75.8	5.56	\$309.30

#### Rear, Drum Brakes



Freightliner / Western Star / Kenworth / Peterbilt / Sterling / Mack (Long Barrel)

r art Nullin	(lbs)	Combination	1	Hub Material	Stau Standout	Steel / Alum Wheels	weight (ibs)	Wilcei Stuu	THIOL
1008221	17 11,500	23K 592A PS / 594	A PS 573 PS / 580 PS	Alum	3.81	Alum	51.4	10001331	\$257.32
1008221	18 13,000	26K 592A PS / 594	A PS 574 PS / 580 PS	Iron	3.06	Steel	76.5	10018436	\$253.19
100022	10 13,000	ZUN 39ZA F3 / 394	A F3374 F3 / 300 F3	11 011	3.00	31661	70.5	10010430	<b>\$233</b>

Volvo / Navistar (Short Barrel)

Part Number	Hub Load Rating (lbs)	GAWR (lbs) Inner Bearing Combination	Outer Bearing Combination	1 Hub Material	Stud Standout	Steel / Alum Wheels	Weight (lbs	s) Wheel Stud	PRICE
10082221	11,500	23k 592A PS / 594A	A PS 573 PS / 580 PS	Alum	3.81	Alum	51.0	10001331	\$259.96

#### Trailer, Drum Brakes, Conventional



Part Number	Hub Load Rating (lbs)	GAWR (Ibs)	Hub Material	Stud Standout	Steel / Alum Wheels	Weight (lbs)	Wheel Stud	PRICE
10082227	11,500	23k	Alum	4.08	Alum	53.0	10001400	\$190.51
10082231	12,500	25k	Iron	4.08	Alum	61.1	10001400	\$216.49

# BRECHBUHLER TRUCK SALES PARTS & SERVICE



#### ROAD CHOICE AIR ELECTRIC COILS AND ACCESSORIES

# **AIR BRAKE TUBING ELECTRICAL COILS**



STRAIGHT JUMPER CABLES - ABS

#### **STRAIGHT JUMPER CABLES - ABS**

- · Heavy-duty, multi-strand copper conductors
- Superior flexibility and durability
- Flexible in temperatures to -85°F (-65°C)
- · Rugged abrasion-resistant jacket is unaffected by gasoline, diesel fuel and commonly encountered chemicals
- Heavy-duty spring guards
- Durable die cast plugs are standard robust grip resists breakage

PART NUMBER	DESCRIPTION	PRICE
300D/1000-EC127JABS	Straight Jumper Cable - 12' ABS	\$57.99
300D/1000-EC157JABS	Straight Jumper Cable - 15' ABS	\$64.99



#### **AIR BRAKE TUBING**

#### 3-IN-1 AIRPOWER LINE

- SAE J1402 Rubber Air Lines service and emergency, ABS power line (green)
- Enclosed in heavy-duty, beveled-edge spiral wrap
- Hanger bracket mounting assembly included for easy suspension
- Red and blue grips for easy identification and gladhand connections
- · Air lines have swivel fittings at tractor end for quick installation

PART NUMBER	DESCRIPTION	PRICE
300D/1000-AEC127	3-in-1 Air Power Line - 12'	\$138.99
300D/1000-AEC157	3-in-1 Air Power Line - 15'	\$148.99



- · Excellent coil memory and durability
- Flexible in temperatures to -85°F (-65°C)
- Resistant to gasoline, diesel fuel, ultraviolet and commonly encountered chemicals
- Up to five times more abrasion-resistant than competing cables
- Durable die cast plugs are standard; robust grip resists breakage

PART NUMBER	DESCRIPTION	PRICE
300D/1000-EC127ABS	Electricoil - 12' ABS	\$63.99
300D/1000-EC157ABS48	Electricoil - 15' ABS with 48" Lead	\$79.99



#### **HOSE CABLE SUSPESION DEVICES**

#### **TENDER KITS**

Complete with:

- · Large snap clip
- · Three-hole clamp hanger
- Heavy-duty spring
- Protective sleeve
- Yolk-on double kits

PART NUMBER	DESCRIPTION	PRICE
300D/1000-AEA162TK	Tender Kit - 16" Dual with Clamp	\$19.99

Call: 330-477-8127 Parts open 'till 11:00 PM